


- NOTES**
1. ALL WIRING INCLUDING COMPONENT LABELLING TO BE IN ACCORDANCE WITH BS7671.
 2. PRIOR TO EXCAVATION WORKS THE INSTALLATION CONTRACTOR MUST BE AWARE OF UNDERGROUND SERVICES OR HAZARDS WHICH MAY BE ENCOUNTERED IN THE INSTALLATION OF THE LIGHTING SYSTEM. ADVICE SHOULD BE SOUGHT FROM THE DEVELOPER'S ENGINEERING REPRESENTATIVE.
 3. THE INSTALLATION CONTRACTOR MUST BE AWARE OF ANY OVERHEAD OBSTRUCTIONS. ADVICE SHOULD BE SOUGHT FROM THE DEVELOPER'S ENGINEERING REPRESENTATIVE.
 4. THESE CALCULATION RESULTS ARE BASED ON A 1.5M BY 1.5M GRID AND ILLUSTRATE PERCEIVED LIGHTING LEVELS FOR COLUMNS POSITIONED TO SUIT THE LOCAL TOPOGRAPHY.
 5. ALL COLUMN DOORS SHALL FACE AWAY FROM ONCOMING TRAFFIC UNLESS ACCESS IS RESTRICTED.
 6. UNTIL TECHNICAL APPROVAL HAS BEEN OBTAINED FROM THE RELEVANT ADOPTING AUTHORITY, IT SHOULD BE UNDERSTOOD THAT ALL DRAWINGS ISSUED ARE PRELIMINARY AND NOT FOR CONSTRUCTION. SHOULD THE CONTRACTOR COMMENCE SITE WORK PRIOR TO APPROVAL BEING GIVEN, IT IS ENTIRELY AT HIS OWN RISK.
 7. THE MAINTENANCE FACTOR IS ESTIMATED AND IS SUBJECT TO CONFIRMATION BY THE ADOPTING AUTHORITY / AUTHORITIES.

REPRODUCED FROM ORDNANCE SURVEY MAPS WITH PERMISSION FROM THE CONTROLLER OF HM STATIONERY OFFICE. CROWN COPYRIGHT RESERVED. LICENCE No. 100023422 2007.

- GENERAL NOTES**
1. DO NOT SCALE FROM THIS DRAWING.
 2. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.
 3. ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM UNLESS NOTED OTHERWISE.
 4. THIS DRAWING HAS BEEN BASED UPON SURVEY / DS INFORMATION SUPPLIED BY INTERLOCKS SURVEYS LIMITED. ROYAL HASKONING DHV SHALL NOT BE LIABLE FOR ANY INACCURACY OR DEFICIENCIES ARISING FROM IT.
 5. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS.
 6. ALL MATERIALS AND WORKMANSHIP WILL BE AS SPECIFIED IN THE SPECIFICATION UNLESS NOTED OTHERWISE.
 7. ALL LEVELS, DIMENSIONS, AND LOCATIONS ARE TO BE CHECKED BY THE MAIN CONTRACTOR PRIOR TO COMMENCEMENT OF ANY WORK ON SITE.

- PROPOSED**
- 01 Column: 6m galvanneal tubular steel column
Lumen: Philips Micro Luma DX70 4800
Outreach: 300mm
Cable: 40m
Mux: BCPN15, DX70_4800_20LED_5.15, CLO_100_NW.wir
 - 02 Column: 6m galvanneal tubular steel column
Lumen: Philips Micro Luma DX70 3400
Outreach: 300mm
Cable: 40m
Mux: BCPN15, DX70_3400_20LED_5.15, CLO_100_NW.wir
 - 03 Column: 5m red-angled galvanneal tubular steel column
Lumen: Philips Micro Luma DM10 1200
Outreach: 200mm
Cable: 40m
Mux: BCPN15, DM10_1200_10LED_5.15, CLO_100_NW.wir
- EXISTING**
- 04 0.74 m/s surface contour line (BS5400:2013) P454 - minimum for with SP ratio of 1.61
 - 05 0.69 m/s surface contour line (BS5400:2013) P454 - minimum for with SP ratio of 1.61



NO	DATE	DESCRIPTION	BY	CHK	APP
1	2019-07-19	FIRST ISSUE	JBW	PV	DJ
REVISIONS					

DRAWING STATUS

PRELIMINARY



RESERVED MATTERS

STREET LIGHTING LAYOUT

SHEET 3 OF 4

PROJECT	GREAT WILSBY PARK	CLIENT	PORTLAND STREET, MANCHESTER, M1 3JF
TITLE	RESERVED MATTERS	DATE	JUL-19
DRAWN	JBW	CHECKED	PV
DATE	JUL-19	SCALE AT A2	1:500
DRAWING NO.	PB8301-RHD-DE-H1-DR-D-1303	PROJECT NUMBER	PB8301
REVISION		APPROVED	DJ