




- GENERAL NOTES**
- DO NOT SCALE FROM THIS DRAWING.
 - ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
 - ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM UNLESS NOTED OTHERWISE.
 - THIS DRAWING HAS BEEN BASED UPON SURVEY / OS INFORMATION SUPPLIED BY OTHERS. ROYAL HASKONING DHV SHALL NOT BE LIABLE FOR ANY INACCURACY OR DEFICIENCIES ARISING FROM IT.
 - THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS.
 - ALL MATERIALS AND WORKMANSHIP WILL BE AS SPECIFIED IN THE SPECIFICATION UNLESS NOTED OTHERWISE.
 - ALL LEVELS, DIMENSIONS AND LOCATIONS ARE TO BE CHECKED BY THE MAIN CONTRACTOR PRIOR TO COMMENCEMENT OF ANY WORK ON SITE.

- KEY**
- PROPOSED COLUMNS**
- COLUMN 6M GALVANISED TUBULAR STEEL COLUMN LANTERN: PHILLIPS MICRO LUMA DX70 4600 OUTREACH: 300mm LUMEN OUTPUT: 4.6klm
 - COLUMN 5M MID-HINGED GALVANISED TUBULAR STEEL COLUMN LANTERN: PHILLIPS MICRO LUMA DM10 1200 OUTREACH: 300MM LUMEN OUTPUT: 1.2KLM
 - COLUMN NUMBER SUPPLY CONNECTION
- 5.89 5.89 ISOLUX LIGHTING CONTOUR
- 1.18 1.18 ISOLUX LIGHTING CONTOUR
- SS ELECTRICITY SUBSTATION

EXTENT OF INFRASTRUCTURE RESERVED MATTERS APPLICATION




REPRODUCED FROM ORDNANCE SURVEY MAPS WITH PERMISSION FROM THE CONTROLLER OF HM STATIONERY OFFICE. CROWN COPYRIGHT RESERVED. LICENCE No. 100023422 2007.

P01	27.01.20	DRAWING ISSUED FOR PLANNING APPLICATION	JBW	PV	DJ
REV	DATE	DESCRIPTION	BY	CHK	APP

REVISIONS

DRAWING STATUS **FOR INFORMATION**



HV DIVERSION RMA

STREET LIGHTING



DRAWN	CHECKED	APPROVED
JBW	PV	DJ
DATE	SCALE AT A1	PROJECT NUMBER
JAN-20	1:500	PB8301

DRAWING No. PB8301-RHD-DE-A3-DR-D-1300 REVISION P01