


2 OG Accessibility - Sample Block E

Accessibility - Internal Layout

3 1F First Floor Accessibility - Sample Block E



Plants within perception range

5 Typical Bedsit Section

This drawing is the copyright of the architect JBA. All dimensions and conditions to be verified on site by the relevant Contractor prior to proceeding.


Standard industry solutions apply unless otherwise stated. All dimensions are in millimeters and are to structural faces or centres unless otherwise stated. not to finishes unless unless otherwise stated.

Survey by others. This drawing must be read in conjunction with all other

relevant drawings and specifications from the Architect and other consultants. If in doubt, ask.

	Level tresholds with slot drain
1	Main entrance airlock to check residents' leaving the secure premises and to allow occasional bed movement, lobby min. 2.9x1.8m with 1.75m door's effective clear width as HBN_00-04_2013 Figures 22 and 15
2	1.75m door's effective clear width to allow bed movement as HBN_00-04_2013 Figures 22 and 15
3	0.85m door's effective clear width to allow wheelchair access, plus half leaf for occasional (large mobility scooters, deliveries, castor beds etc.)
10	Level landing area 1.5X1.5m as ADM1 4(3) Diagram 3.3
a 1500	Wheelchair turning circle at entrance as ADM1 4(3) Diagram 3.3. Entrance to have leading edge of open doors exceeding 1.57m as ADM2 Diagram 10.
	Healthcare bed on castor, 2.25x1.05m
	Alternative mattress evacuation, 2.11x0.93m





 Drawing:
 Accessibility - Internal Layout

 Date:
 29/01/21

 Scale:
 As indicated @ A1

 Drawn By:
 LE

 Drawing No:
 410_00_00_PL_A_1162

 Revision
 Preliminary [X] Tender [] Construction []