


Figure 2 Default specification for protective barrier



- Key
- 1 Standard scaffold poles
 - 2 Heavy gauge 2 m tall galvanized tube and welded mesh infill panels
 - 3 Panels secured to uprights and cross-members with wire ties
 - 4 Ground level
 - 5 Uprights driven into the ground until secure (minimum depth 0.6 m)
 - 6 Standard scaffold clamps

KEY

- T1 Category B - Tree of moderate quality and value.
- T1 Category C - Tree of low quality and value.
- Existing hedge or group. Colour coded as above in accordance with BS 5837 to be removed.
- T1 Category B - Tree of moderate quality and value to be removed.
- T1 Category C - Tree of low quality and value to be removed.
- Existing hedge or group. Colour coded as above in accordance with BS 5837 to be removed.
- Root Protection Area as calculated in accordance with BS 5837:2012.
- Approximate line of protective fencing to be erected in accordance with BS 5837.



GENERAL NOTES
 -ALL DIMENSIONS IN MILLIMETRES
 -DO NOT SCALE OFF THIS DRAWING
 -ALL DIMENSIONS TO BE CHECKED ON SITE
 ©JAMES BLAKE ASSOCIATES LTD 2018

NO.	REVISED	BY	DATE	REASON
1		JBA	18/11/2018	Issue for tender
2		JBA	18/11/2018	Issue for construction

CLIENT	PROJECT TITLE					
Redwood Homes Essex	Tree Protection Plan					
SITE						
Woodford Hall Farm						
PURPOSE OF ISSUE						
Tree Protection Plan						
DRAWN BY	CHECKED BY	AUTHOR	SCALE	DATE	DWG NO.	REV.
AD	JBA	JBA	1:100@A3	18/11/2018	JBA 17-364-TPP06	C

JAMES BLAKE

The Black Barn, Hill Road, Lavenham, Suffolk, CO10 9GX
 Tel: (01787) 245216 Fax: (01787) 247264
 james@jamesblake.co.uk www.jamesblake.co.uk

LANDSCAPE ARCHITECTURE • ARBORICULTURE • ECOLOGY

Shon 39818 - 26/05/2018 - ©JBA/Client: Projects/Warminster Homes - Suffolk/Colchester - Havering Hill, Relief Road 17-364/Drawings/JBA/Master/Verb/JBA 17-364 Tree Protection Plan Havering Hill Relief Road Rev. Catg