



SECTION INCLUDING
TREE PIT
SCALE 1:20



NOTES

- 1 STANDARD TREE WITH LEADER. FOR SPECIES AND SPECIFICATION REFER TO SOFTWARES PLAN.
- 2 TIE AND SPACING DEVICE NAILED TO CROSS BRACE WITH GALVANISED NAILS.
- 3 CROSS BRACE, 100mm DIAMETER, SECURED TO BOTH STAKES.
- 4 TIMBER STAKES, 2No, 2400 x 100mm DIAMETER, TO BE SECURELY DRIVEN INTO FIRM SUBGRADE, WITH HALF ROUND CROSS BRACE SECURELY NAILED TO THE STAKES. ENSURE IT IS SUFFICIENTLY AWAY FROM ROOTBALL TO PREVENT ROOT DAMAGE.
- 5 PERFORATED PVC WATERING PIPE (60mm DIAMETER) INCLUDING END CAPS, TO BE WRAPPED IN 'HYTEX 18' MEMBRANE, TO BE COILED HORIZONTALLY, AROUND TOP OF ROOTBALL, WITH CAP ON END TO ENSURE EVEN DISTRIBUTION OF WATER.
- 6 BARK MULCH TO A DEPTH OF 50mm
- 7 BIODEGRADABLE MULCH MAT TO BE APPLIED TO ENTIRE SOFT LANDSCAPE AREA, TO BE LAID IN ACCORDANCE WITH INSET DETAIL 1: SHRUB BED WITH COURSE WOOD CHIP MULCH OVER SUITABLE BIODEGRADABLE SHEET MULCH
- 8 TREE PIT, 1000 x 1000mm TO SPECIFIED LENGTH, (UNLESS LARGER DIMENSION SPECIFIED ELSEWHERE), TO BE FILLED WITH EXISTING OR IMPORTED TOPSOIL TO B.S. 3882, 1994; TO A DEPTH OF 450mm. THE REST OF THE TREE PIT SHOULD BE BACKFILLED WITH SUBSOIL. SEE GENERAL NOTES. ENSURE FINISHED LEVELS OF TOP SOIL ARE 65mm BELOW THE TOP OF TRENCH. ENSURE BASE AND SIDES OF AMELIORATE SOIL WITH 30 LITRES OF NON-PEAT BASED COMPOST PER LINEAR METRE AND 150G OF FISON'S FICOTE 16:10:10 -140 DAY SLOW RELEASE FERTILIZER INCORPORATED INTO TOP 100mm OF TOPSOIL.
- 9 'REROOT 2000' FLEXIBLE RIBBED ROOT BARRIER FOR THE PROTECTION OF THE CARRIAGEWAY SURFACE, 12m LONG, 1000mm WIDE (NOTE: THE BARRIER IS DUG 900mm INTO THE GROUND, 100mm OF THE TOP EDGE OF THE BARRIER MUST REMAIN ABOVE THE SURFACE. RIBS MUST BE FACING THE TREE ROOTS. THE BASE OF THE TRENCH MUST BE FIRM AND LEVEL, ANY SHARP OBJECTS MUST BE REMOVED FROM THE CLOSE PROXIMITY OF THE TRENCH. THE PIT SHOULD BE FILLED WITH GOOD QUALITY SOIL (SEE POINT 8) WHILE THE BACKSIDE OF THE BARRIER WITH SUBSOIL FROM THE PIT. BACKFILLING SHOULD BE IN LAYERS, AVAILABLE IN 50m ROLLS FROM 'GREENLEAF' TEL NO. 014244 717797, PRODUCT CODE 'RER2000'.

GENERAL NOTES:-

- ENSURE IMPORTED SOILS ARE COMPLIANT WITH BS3882:2015. TOPSOIL MUST ALSO BE HANDLED AND STORED AS PER THE BS.
- HEAVY CLAY SUBSOIL TO BE AMELIORATED BEFORE BACKFILLING DEEPER LAYERS
- ALL VEGETATIVE MATERIAL, LITTER AND OTHER DEBRIS IS TO BE REMOVED AND SIDES AND BOTTOM OF THE TREE PIT MUST BE FORKED OVER BEFORE BACKFILLING WITH SOIL.
- WATER IN WITH 50 LITERS OF WATER PER TREE WITHIN FOUR HOURS OF PLANTING.
- DO NOT SCALE FROM THIS DRAWING.
- ALL DIMENSIONS ARE IN MILLIMETERS.
- ALL DIMENSIONS ARE TO BE CHECKED ON SITE.
- (C) JAMES BLAKE ASSOCIATES LTD 2020

REV.	DATE	INITIALS	DETAILS

CLIENT PERSIMMON HOMES	DWG. TITLE TREE PIT DETAIL					
PURPOSE OF ISSUE PLANNING						
SITE HAVERHILL						
DRG BY CR	CHECKED JBA	AUTHD JBA	SCALE 1:20@A2	DATE OCTOBER 2020	DWG NO. JBA 18/351-DT1	REV. .

James Blake Associates

HEAD OFFICE
The Black Barn, Hall Road, Lavenham, Suffolk, CO10 9QX
Tel: (01787) 248216 Fax: (01787) 247264
jamesblake@jba-landmarc.com www.jba-landmarc.com

LANDSCAPE ARCHITECTURE ◊ ARBORICULTURE ◊ ECOLOGY