


DO NOT SCALE



FLOW CONTROL RATE				
CATCHMENT	IMPERMEABLE AREA	1 IN 1 Q(l/s.ha)= 2.00	1 IN 30 Q(l/s.ha)= 5.33	1 IN 100 Q(l/s.ha)= 7.37
A3	2,800	5,600	14,870	20,640

GENERAL NOTES

- DO NOT SCALE FROM THIS DRAWING.
- ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN UNLESS NOTED OTHERWISE.
- THIS DRAWING HAS BEEN BASED UPON SURVEY / OS INFORMATION SUPPLIED BY OTHERS, ROYAL HASKONING DIV SHALL NOT BE LIABLE FOR ANY INACCURACY OR DEFICIENCIES ARISING FROM IT.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS.
- ALL MATERIALS AND WORKMANSHIP WILL BE AS SPECIFIED IN THE SPECIFICATION UNLESS NOTED OTHERWISE.
- ALL LEVELS, DIMENSIONS AND LOCATIONS ARE TO BE CHECKED BY THE MAIN CONTRACTOR PRIOR TO COMMENCEMENT OF ANY WORK ON SITE.
- ALL ADAPTABLE SEWER WORKS TO BE IN ACCORDANCE WITH SEWERS FOR ADOPTION 6th EDITION, ANGLIAN WATER'S SPECIFICATION AND THE CURRENT VERSION OF THE SPECIFICATION FOR HIGHWAY WORKS.
- FOR POND AND SWALE DETAILS REFER TO B8301-RHD-DE-A5-DR-D-0550/0551/0552/0553.



- KEY:
- PROPOSED FOUL WATER NETWORK
 - PROPOSED SURFACE WATER NETWORK
 - PROPOSED HYDROBRAKE MANHOLE
 - 6.0 DRAINAGE EASEMENT
 - PROPOSED HEADWALL
 - SWALE CHECK DAMS
 - EXISTING FOUL NETWORK
 - CUT EARTHWORKS
 - FILL EARTHWORKS

P02	15/05/25	LAYOUT UPDATED	SS	JM	DJ
P01	16/06/24	FIRST ISSUE	SS	JM	DJ
REV	DATE	DESCRIPTION	BY	CHK	APP

DRAWING STATUS	PRELIMINARY
CLIENT	



A3/A5
DRAINAGE LAYOUT
SHEET 1 OF 2



DRAWN	SS	CHECKED	JM	APPROVED	DJ
DATE	AUG 24	SCALE AT 1:500	PROJECT NUMBER	PB8301	

DRAWING No.	PB8301-RHD-DE-A5-DR-D-0500	REVISION	P02
-------------	----------------------------	----------	-----

REPRODUCED FROM ORDNANCE SURVEY MAPS WITH PERMISSION FROM THE CONTROLLER OF HM STATIONERY OFFICE. CROWN COPYRIGHT RESERVED. LICENCE No. 100023422 2007.