

CLIENT: Cannon Consulting Engineers

PROJECT: Great Wilsey Park, Haverhill

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY: DATE: EXCAVATION METHOD: Window Sampler
Uncased to 4.0 m

GROUND LEVEL 80m

Grid Reference: TL6913045217
DATES 21/02/2025 -

HOLE No. WS130

Sheet 1 of 1

PROJECT NO. 9081, GI

Date/Time and Depth **Depth of Casing** **Depth* of Water** **Piez.** **Description of Strata** **Strata** **Graphical Representation** **Sampling/In-Situ Testing** **Laboratory Testing** **Additional Tests and Notes**

Leg **Reduced Level** **Depth** **SPT 'N' Value** **Depths** **Type** **No.** **Blows** **SPT N** **<425 %** **WC %** **PL %** **LL %** **ρ Mg/m³** **Cu kN/m²**

0.00 0 10 20 30 40 0 0.00 0.20 0.50 1.00 2.00 3.00 4.00 5.00

0.35 0.50 1.00 2.00 3.00 4.00

1.00 2.00 3.00 4.00

4.00

END OF EXPLORATORY HOLE

***WATER** **W** Standing water level **PIEZOMETER** **W** Water strikes

KEY

Upper seal Response zone Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample S Standard penetration test Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
N = SPT N value (blows after seating)
N*120 = Total blows/penetration including seating

B Bulk disturbed sample C Cone penetration test K Permeability test

U Undisturbed sample P Piston sample

J Disturbed jar sample ES Environmental soil sample

W Water Sample

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

WS130

HOLE NO. 1

PROJECT NO. 9081, GI

DEPTH All depths, level and thicknesses in metres




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	Sheet		
9081, GI	04-02-25	84.00	TL6873745880	1 of 1		
Fieldwork By	Logged By					
GEL	AW					
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.25-0.50	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.					
0.50-1.00	Orangish brown slightly gravelly clayey SAND. Sand is fine and medium. Gravel of fine and medium sub-angular and sub-rounded flint and chalk.					
1.00-2.00	Firm yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.					Inflow of water at 1 m
2.00	END OF EXPLORATORY HOLE					Inflow of water at 1.9 m

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

1.90



0.35

Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------



Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No SK02		
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()			
9081,GI	04-02-25	84.00	TL6877745856			
Fieldwork By GEL		Logged By AW				
Sheet 1 of 1						
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.25-1.35	Soft orangish brown slightly gravelly slightly sandy CLAY. Gravel of fine and medium sub-angular and sub-rounded flint.					
1.35-2.00	Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded chalk and flint.					
2.00	END OF EXPLORATORY HOLE					
						Inflow of water at 1.8 m

GEL AGS TP BETA 9081GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

2



0.35

Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No SK03
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	
9081,GI	04-02-25	81.00	TL6896345750	
Fieldwork By GEL		Logged By AW		
Sheet 1 of 1				
Depth	DESCRIPTION	Legend	Depth	No
0.00-0.40	MADE GROUND (Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine to coarse angular and sub-rounded flint, chalk and brick fragments with occasional fine active and inactive vegetative roots.)			
0.40-1.40	Soft brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine and medium sub-angular and sub-rounded flint.			
1.40-2.00	Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded chalk and flint.			Inflow of water at 1.2 m
2.00	END OF EXPLORATORY HOLE			Inflow of water at 1.45 m

GEL AGS TP BETA 9081GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------



Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No SK04	
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()		
Fieldwork By GEL		Logged By AW			
Depth	DESCRIPTION	Legend	Depth	No	Remarks/Tests
0.00-0.30	MADE GROUND (Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine to coarse angular and sub-rounded flint, chalk and brick fragments with occasional fine active and inactive vegetative roots.)				
0.30-1.00	Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine and medium angular and sub-rounded flint and chalk.				
1.00-2.00	Firm yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk.				
2.00	END OF EXPLORATORY HOLE				
					Inflow of water at 1.64 m
					Inflow of water at 1.95 m

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------



Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project Great Wilsey Park, Haverhill		Client Cannon Consulting Engineers			TRIAL PIT No SK05	
Job No 9081, GI	Date 05-02-25	Ground Level (m) 76.00	Coordinates/Grid Reference () TL6914245482			
Fieldwork By GEL		Logged By AW			Sheet 1 of 1	
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.35	MADE GROUND (Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine to coarse angular and sub-rounded flint, chalk and brick fragments with occasional fine active and inactive vegetative roots.)					
0.35-0.70	Soft orangish brown slightly gravelly sandy CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint.					
0.70-2.00	Firm yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.					
						
2.00	END OF EXPLORATORY HOLE					
						
						Inflow of water at 1.64 m
						Inflow of water at 1.9 m

GEI AGSTP BETA 9081 GI - GREAT WISE PARK HAVERTHILL GINT STD AGS 3 1 GDT 23/5/25

1.5

A rectangular box with a black border. To its right, a vertical double-headed arrow indicates a height of 0.35.






Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres
Scale 1:20.83333333333333



Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project Great Wilsey Park, Haverhill		Client Cannon Consulting Engineers			TRIAL PIT No SK06	
Job No 9081, GI	Date 05-02-25	Ground Level (m) 81.00	Coordinates/Grid Reference () TL6902945397			
Fieldwork By GEL		Logged By AW			Sheet 1 of 1	
Depth	DESCRIPTION			Legend	Depth	
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]				No	Remarks/Tests
0.25-1.20	Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint.					
	1.00 Large flat grey limestone boulder (approx 150x150x20mm).					
1.20-2.00	Firm grey slightly sandy slightly gravelly CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk.					
2.00	END OF EXPLORATORY HOLE					
						Inflow of water at 1.85 m
						Inflow of water at 2 m

GEI AGSTP BETA 9081 GI - GREAT WISE PARK HAVERTHILL GINT STD AGS 3 1 GDT 23/5/25

1.5

A rectangular box with a black border. To its right, a vertical double-headed arrow indicates a height of 0.35.

Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres
Scale 1:20.83333333333333




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No SK07	
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()		
9081,GI	05-02-25	84.00	TL6890545591		
Fieldwork By GEL		Logged By AW			
Sheet 1 of 1					
Depth	DESCRIPTION	Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]				
0.30-1.30	Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.				
1.30-2.00	Firm grey slightly sandy slightly gravelly CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk.				
2.00	END OF EXPLORATORY HOLE				Inflow of water at 1.78 m Inflow of water at 1.9 m

GEL AGS TP BETA 9081GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

1.3



0.35

Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------



Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	Sheet		
9081, GI	06-02-25	80.00	TL6915145130	SK08		
Fieldwork By		Logged By		1 of 1		
GEL		AW				
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-1.10	Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.					
1.10-2.00	Firm grey slightly sandy gravelly CLAY. Gravel of fine to coarse angular and sub-rounded chalk and flint.					
2.00	END OF EXPLORATORY HOLE					
						Inflow of water at 1.8 m

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

1.7



0.35

Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------



Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No SK09	
Great Wilsey Park, Haverhill		Cannon Consulting Engineers			
Job No 9081,GI	Date 06-02-25	Ground Level (m) 74.00	Coordinates/Grid Reference () TL6927245227		
Fieldwork By GEL	Logged By AW			Sheet 1 of 1	
Depth	DESCRIPTION	Legend	Depth	No	Remarks/Tests
0.00-0.35	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]				
0.35-1.10	Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine to coarse sub-angular and sub-rounded flint.				
1.10-2.00	Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk.				
2.00	END OF EXPLORATORY HOLE				
					Inflow of water at 1.52 m
					Inflow of water at 1.8 m
GEL AGS TP BETA 9081GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25					
2					
0.35		Shoring/Support: GRAVEL Stability: STABLE			
All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench		Plant Used 2.7T Mechanical Excavator	Checked By	




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	Sheet		
9081, GI	06-02-25	74.00	TL6928345203	1 of 1		
Fieldwork By		Logged By				
GEL		AW				
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-1.80	Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine and medium sub-angular and sub-rounded flint.					
1.80-2.00	Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine and medium angular and sub-rounded flint and chalk.					
2.00	END OF EXPLORATORY HOLE					
						Inflow of water at 1.46 m Inflow of water at 1.5 m

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: GRAVEL
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------



Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP01		
9081, GI	04-02-25	82.00	TL6893745722			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.40	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.40-0.70	Soft orangish brown slightly gravelly slightly sandy CLAY. Gravel of fine and medium sub-angular and sub-rounded flint.					
0.70-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine and medium sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					Inflow of water at 0.9 m

1.5

0.35

Shoring/Support: NONE
Stability: STABLE

All dimensions in metres
Scale 1:20.833333333333

Method Trial Pit/trench
Plant Used 2.7T Mechanical Excavator
Checked By




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP02		
9081, GI	04-02-25	84.00	TL6887245737			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-0.60	Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine and medium sub-angular and sub-rounded flint.					
0.60-1.00	Firm yellowish brown slightly sandy gravelly CLAY. Gravel of fine and medium angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP03		
9081, GI	04-02-25	86.00	TL6885945695			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.25-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP04		
9081, GI	04-02-25	86.00	TL6885545623			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.10	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.10-1.00	Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.					
1.00	END OF EXPLORATORY HOLE			0.70	1B	

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP05		
9081, GI	04-02-25	89.00	TL6876945710			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.25-1.00	Soft yellowish brown slightly gravelly slightly sandy CLAY. Gravel of fine and medium sub-angular and sub-rounded chalk.			0.70	1B	Inflow of water at 0.5 m
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

1.3



0.35

Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP06		
9081, GI	04-02-25	86.00	TL6880545745			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.25-1.00	Soft yellowish brown slightly gravelly slightly sandy CLAY. Gravel of fine and medium sub-angular and sub-rounded chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP07		
9081, GI	04-02-25	84.00	TL6879245831			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.25-1.00	Soft yellowish brown slightly gravelly slightly sandy CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk.					
1.00	END OF EXPLORATORY HOLE					Inflow of water at 1 m

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP08		
9081, GI	04-02-25	85.00	TL6876545800			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-1.00	Soft yellowish brown slightly gravelly slightly sandy CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No TP09
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	
9081,GI	04-02-25	85.00	TL6874745842	
Fieldwork By GEL		Logged By AW		Sheet 1 of 1
Depth	DESCRIPTION		Legend	Depth
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]			
0.25-0.90	Soft yellowish brown slightly gravelly sandy CLAY. Sand is fine and medium. Gravel of fine to coarse angular and sub-rounded flint and chalk.			
0.90-1.00	Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			
1.00	END OF EXPLORATORY HOLE			
			0.70	1B

GEL AGS TP BETA 9081GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP10		
9081, GI	04-02-25	86.00	TL6870545852			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.35	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.35-1.00	Soft yellowish brown slightly gravelly sandy CLAY. Sand is fine and medium. Gravel of fine to coarse angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No TP11
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	
9081,GI	04-02-25	88.00	TL6865845818	
Fieldwork By GEL		Logged By AW		Sheet 1 of 1
Depth	DESCRIPTION		Legend	Depth
0.00-0.35	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]			
0.35-0.90	Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			
0.90-1.00	Firm grey slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70
1.00	END OF EXPLORATORY HOLE			1B

GEL AGS TP BETA 9081GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP12		
9081, GI	04-02-25	89.00	TL6871245766			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.15	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.15-1.00	Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.					
1.00	END OF EXPLORATORY HOLE			0.70	1B	

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP13		
9081, GI	05-02-25	77.00	TL6910345505			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.35	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.35-0.60	Soft orangish brown slightly sandy slightly gravelly CLAY. Gravel of fine and medium sub-angular and sub-rounded flint and chalk.					
0.60-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.80	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No
Great Wilsey Park, Haverhill		Cannon Consulting Engineers		
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP14
9081, GI	05-02-25	78.00	TL6906045577	
Fieldwork By		Logged By		Sheet
GEL		AW		1 of 1
Depth	DESCRIPTION		Legend	Depth
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]			
0.30-0.50	Soft orangish brown slightly gravelly sandy CLAY. Sand is fine and medium. Gravel of fine to coarse sub-angular and sub-rounded flint.			
0.50-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70
1.00	END OF EXPLORATORY HOLE			1B

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP15		
9081, GI	05-02-25	77.00	TL6911345617			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-1.00	Orangish brown slightly gravelly clayey SAND. Sand is fine and medium. Gravel of fine and medium sub-angular and sub-rounded flint.			0.70	1B	
1.00-1.10	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.					
1.10	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP16		
9081, GI	05-02-25	78.00	TL6903445634			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-0.60	Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine to coarse sub-angular and sub-rounded flint.					
0.60-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP17		
9081, GI	05-02-25	79.00	TL6903645690			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-0.70	Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine to coarse sub-angular and sub-rounded flint.					
0.70-1.00	Firm orangish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP18		
9081, GI	05-02-25	83.00	TL6892345643			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP19		
9081, GI	05-02-25	80.00	TL6898345566			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.25-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP20		
9081, GI	05-02-25	84.00	TL6893145529			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.25	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.25-1.00	Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel is fine to coarse sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No TP21
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	
9081,GI	05-02-25	83.00	TL6896945471	
Fieldwork By GEL		Logged By AW		Sheet 1 of 1
Depth	DESCRIPTION		Legend	Depth
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]			
0.30-1.00	Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint, chalk and sandstone.			0.70
1.00	END OF EXPLORATORY HOLE			1B

GEL AGS TP BETA 9081GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No
Great Wilsey Park, Haverhill		Cannon Consulting Engineers		
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP22
9081, GI	05-02-25	80.00	TL6903245486	
Fieldwork By		Logged By		Sheet
GEL		AW		1 of 1
Depth	DESCRIPTION		Legend	Depth
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]			
0.30-0.70	Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine to coarse sub-angular and sub-rounded flint.			
0.70-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70
1.00	END OF EXPLORATORY HOLE			1B

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP23		
9081, GI	05-02-25	83.00	TL6907245406			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-1.00	Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP24		
9081, GI	05-02-25	77.00	TL6909845456			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-0.60	Soft orangish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint.					
0.60-1.00	Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------




Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

TRIAL PIT LOG

Project		Client		TRIAL PIT No		
Great Wilsey Park, Haverhill		Cannon Consulting Engineers				
Job No	Date	Ground Level (m)	Coordinates/Grid Reference ()	TP25		
9081, GI	06-02-25	75.00	TL6924045180			
Fieldwork By		Logged By		Sheet		
GEL		AW		1 of 1		
Depth	DESCRIPTION		Legend	Depth	No	Remarks/Tests
0.00-0.30	Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL]					
0.30-1.00	Soft orangish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint.			0.70	1B	
1.00	END OF EXPLORATORY HOLE					

GEL AGS TP BETA 9081 GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25



Shoring/Support: NONE
Stability: STABLE

All dimensions in metres Scale 1:20.833333333333	Method Trial Pit/trench	Plant Used 2.7T Mechanical Excavator	Checked By
---	-------------------------	--------------------------------------	------------