**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 79m**

**HOLE No. WS120**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 4.0 m

Grid Reference: TL6909645392

DATES 07/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.25 | | 0.10 | ES | 1 | | | | | | | | | | |
| | | | | Firm brown mottled grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 0.65 | | 0.90 | D | 1 | 2 2<br>2 2<br>3 3 | 10 | | | | | | | | |
| | | | | | | | | | 1.50 | ES | 2 | | | | | | | | | |
| | | | | Stiff greyish brown mottled orangish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 2.00 | | 1.90 | D | 2 | 2 3<br>4 5<br>4 5 | 18 | | | | | | | | |
| | | | | 2.70 - 3.20 Grey mottled orangish brown CLAY. | | | | | 2.90 | D | 3 | 7 6<br>7 11<br>8 7 | 33 | | | | | | | | |
| | | | | 3.20 - 3.80 Light grey mottled orangish brown CLAY. | | | | | 3.90 | D | 4 | 6 6<br>8 6<br>9 8 | 31 | | | | | | | | |
| | | | | 3.80 - 4.00 Grey CLAY. | | | | | | | | | | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 4.00 | | | | | | | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes

PIEZOMETER: Upper seal, Response zone, Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS120 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 78m**

**HOLE No. WS121**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 5.0 m

Grid Reference: TL6912645348

DATES 07/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.25 | | 0.10 | ES | 1 | | | | | | | | | | |
| | | | | Firm brown mottled grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 0.55 | | 0.40 | ES | 2 | | | | | | | | | | |
| | | | | | | | | | 0.50 | D | 1 | | | | | | | | | | |
| | | | | | | | | | 0.90 | D | 2 | 3 4<br>3 3<br>3 2 | 11 | | | | | | | |
| | | | | 1.50 - 3.00 Greyish brown mottled orangish brown CLAY. | | | | | 1.50 | ES | 3 | | | | | | | | | | |
| | | | | | | | | | 1.90 | D | 3 | 4 4<br>7 5<br>7 7 | 26 | | | | | | | |
| | | | | 3.00 - 4.30 Grey CLAY. | | | | | 2.90 | D | 4 | 4 3<br>6 6<br>8 10 | 30 | | | | | | | |
| | | | | | | | | | 3.90 | D | 5 | 5 6<br>6 8<br>8 10 | 32 | | | | | | | |
| | | | | Soft grey slighty sandy slightly gravelly silty CLAY. Gravel of fine sub-angular and sub-rounded flint and chalk. | | | 4.30 | | 4.50 | D | 6 | | | | | | | | | | |
| | | | | Stiff grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 4.90 | | | | | 5 5<br>7 8<br>8 10 | 33 | | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 5.00 | | | | | | | | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes PIEZOMETER Upper seal Response zone Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS121 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 81m**

**HOLE No. WS122**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 5.0 m

Grid Reference: TL6906445330

DATES 07/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | | | | 0.20 | | 0.10 | ES | 1 | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | | | 0.40 | ES | 2 | | | | | | | | | |
| | | | | | | | 0.60 | | | | | | | | | | | | | |
| | | | | Firm grey mottled brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | | | 0.90 | D | 1 | 2 3<br>5 4<br>4 5 | 18 | | | | | | | |
| | | | | 1.20 - 1.40 Large chalk gravel. | | | | | 1 | | | | | | | | | | | |
| | | | | | | | | | 1.50 | ES | 3 | | | | | | | | | |
| | | | | | | | | | 1.90 | D | 2 | 3 4<br>4 5<br>6 6 | 21 | | | | | | | |
| | | | | | | | | | 2 | | | | | | | | | | | |
| | | | | | | | | | 2.90 | D | 3 | 3 4<br>5 5<br>6 5 | 21 | | | | | | | |
| | | | | | | | | | 3 | | | | | | | | | | | |
| | | | | | | | | | 3.90 | D | 4 | 4 5<br>5 7<br>7 9 | 28 | | | | | | | |
| | | | | 4.50 - 5.00 Grey CLAY. | | | | | 4 | | | | | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 5.00 | | 4.90 | D | 5 | 7 7<br>8 9<br>10 12 | 39 | | | | | | | |
| | | | | | | | | | 5 | | | | | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes

PIEZOMETER: Upper seal, Response zone, Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS122 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 81m**

**HOLE No. WS123**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 4.0 m

Grid Reference: TL6908445292

DATES 10/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.30 | | 0.10 | ES | 1 | | | | | | | | | | |
| | | | | | | | | | 0.40 | ES | 2 | | | | | | | | | |
| | | | | Firm grey mottled brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 0.70 | | 0.80 | ES | 3 | | | | | | | | | | |
| | | | | | | | | | 0.90 | D | 1 | 2 3<br>3 5<br>5 6 | 19 | | | | | | | |
| | | | | | | | | | 1.90 | D | 2 | 3 3<br>4 5<br>6 6 | 21 | | | | | | | |
| | | | | | | | | | 2.90 | D | 3 | 4 5<br>7 9<br>10 10 | 36 | | | | | | | |
| | | | | 3.50 - 4.00 Grey CLAY. | | | | | 3.90 | D | 4 | 8 8<br>9 10<br>12 11 | 42 | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 4.00 | | | | | | | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes

PIEZOMETER Upper seal, Response zone, Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS123 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 80m**

**HOLE No. WS124**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 4.0 m

Grid Reference: TL6910845251

DATES 10/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.35 | | 0.20 | ES | 1 | | | | | | | | | | |
| | | | | Firm becoming stiff grey mottled brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 0.75 | | 1.00 | D | 1 | 2 2<br>3 3<br>2 3 | 11 | | | | | | | | |
| | | | | | | | | | 2.00 | D | 2 | 4 4<br>4 4<br>5 4 | 17 | | | | | | | |
| | | | | | | | | | 3.00 | D | 3 | 5 5<br>7 6<br>9 8 | 30 | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 4.00 | 64 | 4.00 | D | 4 | 5 9<br>7 43 | 64* | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes

PIEZOMETER: Upper seal, Response zone, Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS124 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WLSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 78m**

**HOLE No. WS125**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 5.0 m

Grid Reference: TL6914845304

DATES 10/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.30 | | 0.10 | ES | 1 | | | | | | | | | | |
| | | | | Firm brown mottled light grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 0.70 | | 0.50 | ES | 2 | | | | | | | | | | |
| | | | | | | | | | 0.90 | D | 1 | 3 4<br>5 5<br>5 5 | 20 | | | | | | | |
| | | | | Stiff grey mottled brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 1.55 | | 1.50 | ES | 3 | | | | | | | | | | |
| | | | | 2.30 - 2.70 Greyish brown mottled orangish brown CLAY. | | | | | 1.90 | D | 2 | 3 4<br>5 4<br>5 6 | 20 | | | | | | | |
| | | | | 3.40 - 5.00 Grey CLAY. | | | | | 2.90 | D | 3 | 4 4<br>5 5<br>6 7 | 23 | | | | | | | |
| | | | | | | | | | 3.90 | D | 4 | 6 4<br>5 5<br>6 7 | 23 | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 5.00 | | 4.90 | D | 5 | 6 6<br>6 7<br>7 8 | 28 | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes PIEZOMETER Upper seal Response zone Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS125 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 76m**

**HOLE No. WS126**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 4.0 m

Grid Reference: TL6917045375

DATES 11/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.30 | | 0.10 | ES | 1 | | | | | | | | | |
| | | | | | | | | | 0.90 | D | 1 | 1 2<br>2 2<br>3 2 | 9 | | | | | | | |
| | | | | Firm brown mottled grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 1.50 | | 1.90 | D | 2 | 4 4<br>4 3<br>3 4 | 14 | | | | | | | |
| | | | | Stiff grey mottled orangish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 2.20 | | 2.90 | D | 3 | 5 6<br>5 4<br>5 6 | 20 | | | | | | | |
| | | | | 2.90 - 3.80 Light grey mottled brown CLAY. | | | | | | | | | | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 4.00 | | 3.90 | D | 4 | 4 5<br>5 6<br>6 6 | 23 | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes

PIEZOMETER Upper seal, Response zone, Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS126 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 76m**

**HOLE No. WS127**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 5.0 m

Grid Reference: TL6919645323

DATES 11/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | | | | | | 0.20 | ES | 1 | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.40 | | 0.50 | ES | 2 | | | | | | | | | |
| | | | | Light brown slightly sandy clayey GRAVEL. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 0.70 | | 0.80 | D<br>ES | 1<br>3 | 2 2<br>1 3<br>3 2 | 9 | | | | | | | |
| | | | | Firm brown mottled grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 1.40 | | 1.50 | D<br>ES | 2<br>4 | | | | | | | | | |
| | 2.00 | | | Wet light brown slightly sandy clayey GRAVEL. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 2.00 | | 2 | | | 3 3<br>4 3<br>4 4 | 15 | | | | | | | Inflow of water at 2m |
| | | | | Firm grey mottled orangish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 2.20 | | 2.50 | D<br>ES | 3<br>5 | | | | | | | | | |
| | | | | Wet light brown slightly sandy slightly clayey GRAVEL. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 3.00 | | 3<br>3.10 | D | 4 | 4 5<br>5 4<br>4 6 | 19 | | | | | | | |
| | | | | Firm grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 3.70 | | 3.80 | D | 5 | | | | | | | | | |
| | | | | Wet brown slightly sandy slightly clayey GRAVEL. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 4.40 | | 4 | | | 3 2<br>3 4<br>4 5 | 16 | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 5.00 | | 5 | | | 5 5<br>5 6<br>7 5 | 23 | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes PIEZOMETER Upper seal Response zone Lower seal

SAMPLE AND TEST KEY
D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS127 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

| CLIENT: Cannon Consulting Engineers | PROJECT: Great Wilsey Park,Haverhill | GROUND LEVEL 75m | HOLE No. WS128 |
|---|---|---|---|
| LOGGED BY: JK<br>FIELDWORK BY: GEL<br>TEMPLATE REF: GEL AGS BH BETA<br>CHECKED BY:<br>DATE: | EXCAVATION METHOD: Window Sampler<br>Uncased to 4.0 m | Grid Reference: TL6922545276<br>DATES 11/02/2025 - | SHEET 1 OF 1<br>PROJECT NO. 9081,GI |

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.45 | | 0.10 | ES | 1 | | | | | | | | | | |
| | | | | | | | | | 0.70 | ES | 2 | | | | | | | | | |
| | | | | | | | | | 0.90 | D | 1 | 2 3<br>5 3<br>2 4 | 14 | | | | | | | |
| | | | | Firm becoming stiff brown mottled grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 1.40 | | 1.50 | ES | 3 | | | | | | | | | | |
| | | | | 2.00 - 2.80 Greyish brown mottled orangish brown CLAY. | | | | | 1.90 | D | 2 | 3 3<br>3 4<br>4 3 | 14 | | | | | | | |
| | | | | 2.80 - 4.00 Grey CLAY. | | | | | 2.90 | D | 3 | 3 5<br>4 3<br>5 4 | 16 | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 4.00 | | 3.90 | D | 4 | 4 5<br>5 5<br>8 13 | 31 | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes

PIEZOMETER: Upper seal, Response zone, Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS128 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 78m**

**HOLE No. WS129**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 5.0 m

Grid Reference: TL6917645247

DATES 11/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | Soft brown slightly gravelly sandy CLAY. Sand is fine and medium, gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.20 | | | | | | | | | | | | | | |
| | | | | Firm brown mottled light grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 0.40 | | 0.10 | ES | 1 | | | | | | | | | | |
| | | | | 0.90 Large flint cobble. | | | | | 0.80 | D | 1 | 3 5<br>5 7<br>8 12 | 32 | | | | | | | |
| | | | | 1.80 Large flint cobble. | | | | | 1.50 | ES | 2 | | | | | | | | | |
| | | | | Stiff greyish brown mottled orangish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 2.10 | | 1.90 | D | 2 | 5 5<br>4 7<br>10 11 | 32 | | | | | | | |
| | | | | | | | | | 2.90 | D | 3 | 3 3<br>3 3<br>5 5 | 16 | | | | | | | |
| | | | | Soft grey slightly sandy slightly gravelly silty CLAY. Gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 3.80 | | 3.90 | D | 4 | 4 4<br>5 4<br>4 4 | 17 | | | | | | | |
| | | | | Stiff grey slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 4.40 | | 4.50 | D | 5 | | | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 5.00 | | | | | 5 6<br>6 7<br>8 7 | 28 | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes PIEZOMETER Upper seal Response zone Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS129 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

**CLIENT: Cannon Consulting Engineers**

**PROJECT: Great Wilsey Park,Haverhill**

**GROUND LEVEL 80m**

**HOLE No. WS130**

LOGGED BY: JK
FIELDWORK BY: GEL
TEMPLATE REF: GEL AGS BH BETA

CHECKED BY:
DATE:

EXCAVATION METHOD: Window Sampler
Uncased to 4.0 m

Grid Reference: TL6913045217

DATES 21/02/2025 -

SHEET 1 OF 1

PROJECT NO. 9081,GI

| Date/Time and Depth | Depth of Casing | Depth* of Water | Piez. | Description of Strata | Strata: Leg | Strata: Reduced Level | Strata: Depth | Graphical Representation: SPT 'N' Value (0 10 20 30 40) | Sampling/In-Situ Testing: Depths | Type | No. | Blows | SPT N | Laboratory Testing: <425 % | WC % | PL % | LL % | ρ Mg/m³ | Cu kN/m² | Additional Tests and Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | 0.00 | | 0 | | | | | | | | | | | | |
| | | | | Firm brown mottled light grey slightly sandy slightly gravelly CLAY. Gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | 0.35 | | 0.20 | ES | 1 | | | | | | | | | | |
| | | | | | | | | | 0.50 | ES | 2 | | | | | | | | | |
| | | | | Firm becoming stiff grey mottled brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | 1.00 | | 1.00 | D | 1 | 3 2<br>3 3<br>3 3 | 12 | | | | | | | |
| | | | | | | | | | 2.00 | D | 2 | 3 4<br>4 5<br>4 5 | 18 | | | | | | | |
| | | | | | | | | | 3.00 | D | 3 | 5 5<br>7 6<br>9 8 | 30 | | | | | | | |
| | | | | END OF EXPLORATORY HOLE | | | 4.00 | | 4.00 | D | 4 | 5 8<br>8 12<br>10 13 | 43 | | | | | | | |

*WATER ▼ Standing water level ▽ Water strikes

PIEZOMETER: Upper seal, Response zone, Lower seal

SAMPLE AND TEST KEY

D Small disturbed sample
B Bulk disturbed sample
U Undisturbed sample
P Piston sample
J Disturbed jar sample
ES Environmental soil sample
W Water Sample
S Standard penetration test
C Cone penetration test
K Permeability test

Blows SPT blows for each 75mm increment (35) Undisturbed sample blow count
SPT N N = SPT N value (blows after seating) N*120 = Total blows/penetration including seating
<425 Sample % passing 425 micron sieve

DEPTH All depths, level and thicknesses in metres

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

HOLE No. WS130 | SHEET 1 OF 1 | PROJECT No. 9081,GI

GEL AGS BH BETA 9081,GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **SK01** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 84.00 | TL6873745880 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.25 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.25-0.50 | Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | | |
| 0.50-1.00 | Orangish brown slightly gravelly clayey SAND. Sand is fine and medium. Gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | | | |
| 1.00-2.00 | Firm yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | | Inflow of water at1 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | Inflow of water at1.9 m |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

GEL AGS TP BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **SK02** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 84.00 | TL6877745856 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.25 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.25-1.35 | Soft orangish brown slightly gravelly slightly sandy CLAY. Gravel of fine and medium sub-angular and sub-rounded flint. | | | | |
| 1.35-2.00 | Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded chalk and flint. | | | | Inflow of water at1.8 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **SK03** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 81.00 | TL6896345750 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.40 | MADE GROUND (Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine to coarse angular and sub-rounded flint, chalk and brick fragments with occasional fine active and inactive vegetative roots.) | | | | |
| 0.40-1.40 | Soft brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine and medium sub-angular and sub-rounded flint. | | | | Inflow of water at1.2 m |
| 1.40-2.00 | Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded chalk and flint. | | | | Inflow of water at1.45 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

GEL AGS TP BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **SK04** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 05-02-25 | 76.00 | TL6913845508 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.30 | MADE GROUND (Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine to coarse angular and sub-rounded flint, chalk and brick fragments with occasional fine active and inactive vegetative roots.) | | | | |
| 0.30-1.00 | Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine and medium angular and sub-rounded flint and chalk. | | | | |
| 1.00-2.00 | Firm yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk. | | | | Inflow of water at1.64 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | Inflow of water at1.95 m |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **SK05** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 05-02-25 | 76.00 | TL6914245482 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.35 | MADE GROUND (Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine to coarse angular and sub-rounded flint, chalk and brick fragments with occasional fine active and inactive vegetative roots.) | | | | |
| 0.35-0.70 | Soft orangish brown slightly gravelly sandy CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint. | | | | |
| 0.70-2.00 | Firm yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | | Inflow of water at1.64 m<br>Inflow of water at1.9 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **SK06** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 05-02-25 | 81.00 | TL6902945397 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.25 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.25-1.20 | Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint. | | | | |
| | 1.00 Large flat grey limestone boulder (approx 150x150x20mm). | | | | |
| 1.20-2.00 | Firm grey slightly sandy slightly gravelly CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk. | | | | |
| | | | | | Inflow of water at1.85 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | Inflow of water at2 m |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

GEL AGS TP BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | SK07 |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 05-02-25 | 84.00 | TL6890545591 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.30 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.30-1.30 | Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | | |
| 1.30-2.00 | Firm grey slightly sandy slightly gravelly CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk. | | | | Inflow of water at1.78 m<br>Inflow of water at1.9 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

GEL AGS TP BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **SK08** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 06-02-25 | 80.00 | TL6915145130 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.30 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.30-1.10 | Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | | |
| 1.10-2.00 | Firm grey slightly sandy gravelly CLAY. Gravel of fine to coarse angular and sub-rounded chalk and flint. | | | | Inflow of water at1.8 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

GEL AGS TP BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | SK09 |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 06-02-25 | 74.00 | TL6927245227 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.35 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.35-1.10 | Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine to coarse sub-angular and sub-rounded flint. | | | | |
| 1.10-2.00 | Soft yellowish brown slightly sandy gravelly CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk. | | | | Inflow of water at1.52 m<br>Inflow of water at1.8 m |
| 2.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

GEL AGS TP BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **SK10** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 06-02-25 | 74.00 | TL6928345203 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.30 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.30-1.80 | Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine and medium sub-angular and sub-rounded flint. | | | | Inflow of water at1.46 m<br>Inflow of water at1.5 m |
| 1.80-2.00 | Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine and medium angular and sub-rounded flint and chalk. | | | | |
| 2.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: GRAVEL
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP01** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 82.00 | TL6893745722 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.40 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.40-0.70 | Soft orangish brown slightly gravelly slightly sandy CLAY. Gravel of fine and medium sub-angular and sub-rounded flint. | | | | |
| 0.70-1.00 | Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine and medium sub-angular and sub-rounded flint and chalk. | | 0.70 | 1B | Inflow of water at0.9 m |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

GEL AGS TP BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP02** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 84.00 | TL6887245737 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.30 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.30-0.60 | Soft orangish brown slightly gravelly sandy CLAY. Sand is fine. Gravel of fine and medium sub-angular and sub-rounded flint. | | | | |
| 0.60-1.00 | Firm yellowish brown slightly sandy gravelly CLAY. Gravel of fine and medium angular and sub-rounded flint and chalk. | | 0.70 | 1B | |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP03** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 86.00 | TL6885945695 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.25 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.25-1.00 | Firm yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | 0.70 | 1B | |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP04** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 86.00 | TL6885545623 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.10 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.10-1.00 | Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | 0.70 | 1B | |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP05** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 89.00 | TL6876945710 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.25 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.25-1.00 | Soft yellowish brown slightly gravelly slightly sandy CLAY. Gravel of fine and medium sub-angular and sub-rounded chalk. | | 0.70 | 1B | Inflow of water at0.5 m |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP06** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 86.00 | TL6880545745 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.25 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.25-1.00 | Soft yellowish brown slightly gravelly slightly sandy CLAY. Gravel of fine and medium sub-angular and sub-rounded chalk. | | 0.70 | 1B | |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | TP07 |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 84.00 | TL6879245831 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.25 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.25-1.00 | Soft yellowish brown slightly gravelly slightly sandy CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk. | | | | |
| 1.00 | END OF EXPLORATORY HOLE | | | | Inflow of water at1 m |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

GEL AGS TP BETA 9081.GI - GREAT WILSEY PARK HAVERHILL.GPJ GINT STD AGS 3_1.GDT 23/5/25

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP08** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 85.00 | TL6876545800 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.30 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.30-1.00 | Soft yellowish brown slightly gravelly slightly sandy CLAY. Gravel of fine to coarse angular and sub-rounded flint and chalk. | | 0.70 | 1B | |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP09** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 85.00 | TL6874745842 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.25 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.25-0.90 | Soft yellowish brown slightly gravelly sandy CLAY. Sand is fine and medium. Gravel of fine to coarse angular and sub-rounded flint and chalk. | | 0.70 | 1B | |
| 0.90-1.00 | Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | | |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP10** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 86.00 | TL6870545852 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.35 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.35-1.00 | Soft yellowish brown slightly gravelly sandy CLAY. Sand is fine and medium. Gravel of fine to coarse angular and sub-rounded flint and chalk. | | 0.70 | 1B | |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|

Geosphere Environmental Ltd
Unit 11 Brightwell Barns
IP10 0BJ
Telephone: 01603 298076

# TRIAL PIT LOG

| Project | Client | TRIAL PIT No |
|---|---|---|
| Great Wilsey Park,Haverhill | Cannon Consulting Engineers | **TP11** |

| Job No | Date | Ground Level (m) | Coordinates/Grid Reference () |
|---|---|---|---|
| 9081,GI | 04-02-25 | 88.00 | TL6865845818 |

| Fieldwork By | Logged By | Sheet |
|---|---|---|
| GEL | AW | 1 of 1 |

| Depth | DESCRIPTION | Legend | Depth | No | Remarks/Tests |
|---|---|---|---|---|---|
| 0.00-0.35 | Soft dark brown slightly sandy slightly gravelly organic clay. Gravel of fine and medium sub-angular and sub-rounded flint and chalk with occasional fine active and inactive vegetative roots. [TOPSOIL] | | | | |
| 0.35-0.90 | Soft yellowish brown slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | 0.70 | 1B | |
| 0.90-1.00 | Firm grey slightly sandy slightly gravelly CLAY. Gravel of fine to coarse sub-angular and sub-rounded flint and chalk. | | | | |
| 1.00 | END OF EXPLORATORY HOLE | | | | |




Shoring/Support: NONE
Stability: STABLE

| All dimensions in metres<br>Scale 1:20.8333333333333 | Method Trial Pit/trench | Plant Used 2.7T Mechanical Excavator | Checked By |
|---|---|---|---|